Certificate of Analysis

Customer Information

Client: White Rabbit Energy
Attention: support@whiterabbitenergy.com
Address: 2621 Green River Rd., #105-154
Corona, CA 92882

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: KRATOM MITRAGYNA SPECIOSA
Lot Number: 2406-LT-(006-018)
Description: Ready-to-drink beverage
Condition: Good
Job ID: ISO08414
Sample ID: I23494
Received: 20OCT2026
Completed: 28OCT2026
Report Date: 28OCT2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD) **Method Code: T102** **Tested: 24OCT2026 | 0318**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	MDL
Mitragynine	Report Results	21.8	mg/unit	0.71	0.26
Paynantheine	Report Results	1.39	mg/unit	0.71	0.26
Speciogynine	Report Results	1.12	mg/unit	0.71	0.26
Speciociliatine	Report Results	0.937	mg/unit	0.71	0.26
Component Sum	Report Results	25.2	mg/unit	0.71	0.26

Mitragyna Alkaloids (UHPLC-DAD) **Method Code: T102** **Tested: 24OCT2026 | 0318**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	MDL
Mitragynine	Report Results	0.0614	mg/g	0.0020	0.00075
Paynantheine	Report Results	0.00393	mg/g	0.0020	0.00075
Speciogynine	Report Results	0.00315	mg/g	0.0020	0.00075
Speciociliatine	Report Results	0.00264	mg/g	0.0020	0.00075
Component Sum	Report Results	0.0711	mg/g	0.0020	0.00075

Mitragynine Derivatives [UHPLC-MS] **Method Code: T191** **Tested: 27OCT2026 | 0711**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	MDL
7-hydroxymitragynine	Report Results	<LOQ (0.177)	ug/g	0.20	0.066
9-hydroxycorynantheidine	Report Results	<LOQ (0.185)	ug/g	0.20	0.066
Mitragynine Pseudoindoxyl	Report Results	ND	ug/g	0.20	0.066
7-acetoxymitragynine	Report Results	ND	ug/g	0.20	0.066
Dihydro-7-hydroxymitragynine (MGM-15)	Report Results	ND	ug/g	0.20	0.066

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	MDL
10-fluoro-dihydro-7-hydroxymitragynine (MGM-16)	Report Results	ND	ug/g	0.20	0.066
Component Sum	Report Results	0.362	ug/g	0.20	0.066

Microbial Examination **Method Code: T005** **Tested: 23OCT2026 | 1405**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Total Yeast and Mold	NMT 1,000 CFU/g	350	CFU/g	10 CFU/g	PASS
Total Coliforms	NMT 100 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS

Unit Weight Analysis (Gravimetric) **Method Code: T503** **Tested: 22OCT2026 | 1933**

PARAMETER	SPECIFICATION	RESULT	UNIT	RANGE	NOTES
Density	Report Results	0.999	g/mL	0.5-1.5	N/A

Florida Kratom Compliance — 2ER26-2 / 5KER26-11 **Method Code: T102/T503/T191** **Tested: 28OCT2026 | 1043**

PARAMETER	SPECIFICATION	RESULT	UNIT	MDL/LOD	NOTES
Mitragynine Concentration	Report Results	0.06134	mg/mL	N/A	N/A
Mitragynine per Labeled Package	Report Results	21.8	mg/package	N/A	N/A
Product Density	Report Results	0.999	g/mL	N/A	N/A
7-Hydroxymitragynine Label Concentration	Report Results	0.0001768	mg/mL	0.00006593	N/A
7-Acetoxymitragynine	Not Detected	ND	mg/mL	0.00006593	PASS
Dihydro-7-hydroxymitragynine (MGM-15)	Not Detected	ND	mg/mL	0.00006593	PASS
9-Fluoro-7-hydroxymitragynine (MGM-16)	Not Detected	ND	mg/mL	0.00006593	PASS
7-Hydroxymitragynine Limit	NMT 1.00	0.0001768	mg/mL	N/A	PASS
Mitragynine-to-7OH Ratio	NLT 100:1	346.9:1	N/A	N/A	PASS
Alkaloid Ratio Declaration	Report Results	22:0	mg:mg	N/A	N/A

Additional Report Notes

T102 result, LOQ and unit converted from mg/g to mg/unit using a laboratory measured density and package specified fill volume.

Revision History

Report ID: 25d572c3-c77b-5162-9b9c-e5b5464f8047
rev 00 - Initial release.

Abbreviations

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:	Tyler West	**Position:**	Laboratory Director
		Department:	Management
Name:	Tyler West	**Date:**	28OCT2026

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.